MC-3474

Dr Lalchandani Labs
Since1986

Reg. ID	: 169469	**Panel Company** : PRIMUS HOSPITAL	
Name of Patient	: MRS. MANGLA	**Lab Request ID : DLL953121**	
Age/Gender	: 57 years / Female	**Sample Collection Date : Feb 01, 2022, 04:12 p.m.**	
Refd by Dr.	: PRIMUS	**Sample Acknowledgment Date : Feb 01, 2022, 04:12 p.m.**	
Mobile No.	: 7982112218	**Test Reported On : Feb 02, 2022, 02:43 p.m.**	
Sample Type	: OROPHARYNGEAL & NASOPHARYNGEAL SWAB	**SRF ID : 0708503113212**	

Covid-19 Virus RT-PCR (open system) Qualitative - Centre Visit

Covid-19 RT-PCR (open system) SARS-COV-2 NEGATIVE

Method : RT-PCR (open system)

INTERPRETATION

Negative	RNA specific to SARS-CoV-2 Not Detected
Positive	RNA specific to SARS-CoV-2 Detected
Inconclusive	This could be due to low viral load in the sample. A repeat sample is recommended for confirmation.

Disclaimer: Low Viral Load may indicate early incubation or late incubation phase. Two different samples taken at two different times and different conditions shall not be liable for the same results.

Note

- **ICMR Registration number for Covid -19 is DLCLPBD.**
- Negative result does not rule out the possibility of Covid-19 infection. Presence of inhibitors, mutations & insufficient RNA specific to SARSCoV-2 can influence the test result.
- Kindly correlate the results with clinical findings. A negative result in a single upper respiratory tract sample does not rule out SARS-CoV-2 infection. Hence in such cases a repeat sample should be sent. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease
- Covid-19 Test conducted using automated extractor and biorad CFX96 and trupcr rt pcr kits approved by ICMR
- Kindly consult referring Physician / Authorized hospitals for appropriate follow up

Conditions of Reporting

Laboratory results should be used with other clinical information to determine a final diagnosis. For any unexpected test results please contact the laboratory. Laboratory does not verify the identity or the details of the customer and cannot be held responsible for any misrepresentation or misuse. The results cannot be used for medico-legal purpose. There may be incidences beyond our control which could result in delay of testing. All tests have been carried out with reasonable care, clinical safety & technical integrity, however there could be some factors beyond control which can affect the accuracy of results.

END OF REPORT

Do not accept any COVID-19 report without working QR Code. The laboratory shall not be held responsible for any such reports.

Rashmi

Dr Rashmi Bahri
M.B.B.S, M.D (Micro)
Consultant Microbiologist

Dr Lalchandani Labs Limited
19c, Club Road, Punjabi Bagh, (W) Delhi - 110026
info@lalchandanipathlab.com
80-10-689-689
011-41521119
011-41531119
CIN No. U85320DL2017PLC321605
www.lalchandanipathlab.com